

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

35-1723: Polyclonal Antibody to ATR (Ab-428)

Clonality: Polyclonal

Application: IHC Reactivity: Human Gene: ATR Gene ID: 545 **Uniprot ID:** Q13535 Format: Purified

Alternative Name: FRP1, MEC1, SCKL, SCKL1

Isotype: Rabbit IgG

Immunogen Information: Peptide sequence around aa.426~430 (G-I-S-P-K) derived from Human ATR.

Description

ATR encoded by this gene belongs the PI3/PI4-kinase family, and is most closely related to ATM, a protein kinase encoded by the gene mutated in ataxia telangiectasia. This protein and ATM share similarity with Schizosaccharomyces pombe rad3, a cell cycle checkpoint gene required for cell cycle arrest and DNA damage repair in response to DNA damage. This kinase has been shown to phosphorylate checkpoint kinase CHK1, checkpoint proteins RAD17, and RAD9, as well as tumor suppressor protein BRCA1. Mutations of this gene are associated with Seckel syndrome. An alternatively spliced transcript variant of this gene has been reported, however, its full length nature is not known. Transcript variants utilizing alternative polyA sites exist.

Product Info

 $50 \mu l / 100 \mu l$ Amount:

Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM Content:

NaCl, 0.02% sodium azide and 50% glycerol.

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

Application Note

Predicted MW: 250kd, Immunohistochemistry: 1:50~1:100




Figure 1: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using ATR(Ab-428) Antiobdy 35-1723 (left) or the same antibody preincubated with blocking peptide(right).