

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 35-1743: Polyclonal Antibody to Cyclin B1 (Ab-147)

Clonality: Polyclonal WB,IHC,IF Application: Reactivity: Human CCNB<sub>1</sub> Gene: Gene ID: 891 **Uniprot ID:** P14635 Format: Purified **Alternative Name:** CCNB1 Rabbit IgG Isotype:

Immunogen Information: Peptide sequence around aa.145~149 (A-F-S-D-V) derived from Human Cyclin B1.

## **Description**

The protein encoded by Cyclin B1 is a regulatory protein involved in mitosis. The gene product complexes with p34(cdc2) to form the maturation-promoting factor (MPF). Two alternative transcripts have been found, a constitutively expressed transcript and a cell cycle-regulated transcript, that is expressed predominantly during G2/M phase. The different transcripts result from the use of alternate transcription initiation sites. Norbury, C. and Nurse, P. (1992) Annu. Rev. Biochem. 61, 441-470. Atherton-Fessler, S. et al. (1993) Mol. Cell. Biol. 13, 1675-1685. Galaktionov, K. et al. (1995) Genes Dev. 9, 1046-1058.

## **Product Info**

Amount:  $50 \mu l / 100 \mu l$ 

Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM Content:

NaCl, 0.02% sodium azide and 50% glycerol.

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

## **Application Note**

Predicted MW: 60kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100, Immunofluorescence: 1:100~1:200




Figure 1: Western blot analysis of extracts from HepG2 and HT29 cells using Cyclin B1(Ab-147) Antibody 35-1743.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Cyclin B1(Ab-147) Antibody 35-1743 (left) or the same antibody preincubated with blocking peptide(right).




Figure 3: Immunofluorescence staining of methanol-fixed Hela cells using Cyclin B1(Ab-147) Antibody 35-1743 .