

## 32-2314: Esterase-D Recombinant Protein

**Alternative Name :** S-formylglutathione hydrolase,FGH,Esterase D,ESD,FLJ11763,esterase D/formylglutathione hydrolase.

### Description

Source : Escherichia Coli. Esterase-D Human Recombinant fused with a 20 amino acid His tag at N-terminus produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 302 amino acids (1-282 a.a.) and having a molecular mass of 33.6kDa.The Esterase-D is purified by proprietary chromatographic techniques. Formylglutathione hydrolase (Esterase D) is a member of the esterase D family. Esterase D is a serine hydrolase involved in the detoxification of formaldehyde. Esterase D is active toward various substrates including O-acetylated sialic acids, and it may possibly be involved in the recycling of sialic acids. Esterase D is used as a genetic marker for retinoblastoma and Wilson's disease.

### Product Info

<b>Amount :</b>	50 µg
<b>Purification :</b>	Greater than 95.0% as determined by SDS-PAGE.
<b>Content :</b>	The Esterase-D solution contains 20mM Tris-HCl buffer (pH8.0) and 10% glycerol.
<b>Storage condition :</b>	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Avoid multiple freeze-thaw cycles.
<b>Amino Acid :</b>	MGSSHHHHHH SSGLVPRGSH MALKQISSNK CFGGLQKVFE HDSVELNCKM KFAVYLPKKA ETGKCPALYW LSGLTCTEQN FISKSGYHQS ASEHGLVVIA PDTSPRG CNI KGEDESWDFG TGAGFYVDAT EDPWKTNRYM YSYVTEELPQ LINANFPVDP QRMSIFGHSM GGHGALICAL KNPGKYKSVS AFAPICNPVL CPWGKKA FSG YLGTDQSKWK AYDATHLVKS YPGSQLDILI DQ GKDDQFLL DGQLLPDNFI AACTEKKIPV VFRLQEDYDH SYYFIATFIT DHIRHHAKYL NA.