

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-2502: LDHB Recombinant Protein

Alternative Name: Lactate Dehydrogenase,LDH.

Description

Source: Escherichia Coli. The DNA encoding chicken LDH-B is cloned from cDNA library of chicken heart. Lactate dehydrogenase (LDH) is an enzyme(EC1.1.1.27) present in a wide variety of organisms, including plants and animals. A tetrameric enzyme that catalyses the interconversion of pyruvateand lactate with concomitant interconversion of NADH and NAD+. At high concentrations of pyruvate, the enzyme exhibits feedback inhibition and the rate of conversion of pyruvate to lactate is decreased. In vertebrates, genes for three different subunits (LDH-A, LDH-B and LDH-C) exist.

Product Info

Amount: 3 mg

Purification: Greater than 95.0% as determined by(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.

Content: The protein (1 mg/ml) was lyophilized with 0.1mg potassium phosphate.

Lyophilized Lactate Dehydrogenase although stable at room temperature for 3 weeks, should

be stored desiccated below -18°C. Upon reconstitution LDH should be stored at 4°C between

2-7 days and for future use below -18°C.Please prevent freeze-thaw cycles.

Application Note

Storage condition:

It is recommended to reconstitute the lyophilized LDH in sterile $18M\tilde{A}\Box\hat{A}\odot$ -cm H2O not less than $100~\tilde{A}\Box\hat{A}\mu g/ml$, which can then be further diluted to other aqueous solutions. The specific activity was found to be 258 U/mg protein.

