w abeomics

32-2505: Lipase-A Recombinant Protein

Description

Source : Escherichia Coli. Recombinant Immobilized Serratia marcescens Lipase-A is expressed in E.Coli having a Mw of 65 kDa is purified by standard chromatography techniques. Lipase (EC 3.1.1.3) is a ubiquitous enzyme that catalyzes the hydrolysis of fats and oil. The Serratia marcescens lipase is recognized for its excellent enantioselectivity in biocatalytic hydrolysis of trans-3-(4-methoxyphynyl) glycidic acid methyl ester $[(\pm)-MPGM]$ to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3S)-3-(4-methoxyphenyl) glycidic acid methyl ester [(±)-MPGM] to produce (2R, 3C)-3-(4-methoxyphenyl) g

Product Info

Amount :	100 mg
Purification :	Greater than 90% as determined by SDS-PAGE.
Content :	The protein was lyophilized without additives.
Storage condition :	Recombinant Lipase-A although stable at room temp for 1 week, should be stored desiccated below -18C. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).Please prevent freeze-thaw cycles.

Application Note

It is recommended to reconstitute the lyophilized Lipase-A in sterile 10%-50% DMSO, isopropyl ether, petroleum ether, ethanol, acetone and isopropanol. 580 units/mg powder.

