

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-2626: NUDT21 Recombinant Protein

Alternative Name

Cleavage and polyadenylation specificity factor subunit 5,Cleavage and polyadenylation specificity factor 25 kDa subunit,CFIm25,CPSF 25 kDa subunit,Nucleoside diphosphate-linked moiety X motif 21,Nudix motif 21

Description

Source: Escherichia Coli. NUDT21 Human Recombinant fused with a 20 amino acid His tag at N-terminus produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 247 amino acids (1-227 a.a.) and having a molecular mass of 28.3kDa. The NUDT21 is purified by proprietary chromatographic techniques. NUDT21 belongs to the Nudix hydrolase family of pyrophosphatases. NUDT21 localizes to the paraspeckles and forms a heterodimer with CPSF6 or CPSF7 to comprise the CFIm (mammalian cleavage factor I) complex. NUDT21 being the smaller subunit of the complex, is present in all heterodimer combinations. NUDT21 has a vital role in pre-mRNA 3' cleavage and polyadenylation processing.

Product Info

Amount : 20 μg

Purification: Greater than 90.0% as determined by SDS-PAGE.

Content: The NUDT21 solution (1 mg/ml) contains 20mM Tris-HCl buffer (pH8.0), 0.2M NaCl, 2mM DTT

and 20% glycerol.

Storage condition:

NUDT21 should be stored desiccated below -18°C. For long term storage it is recommended to

add a carrier protein (0.1% HSA or BSA). Please prevent freeze-thaw cycles.

Amino Acid: MGSSHHHHHH SSGLVPRGSH MSVVPPNRSQ TGWPRGVTQF GNKYIQQTKP LTLERTINLY PLTNYTFGTK

EPLYEKDSSV AARFQRMREE FDKIGMRRTV EGVLIVHEHR LPHVLLLQLG TTFFKLPGGE LNPGEDEVEG LKRLMTEILG RODGVLODWV IDDCIGNWWR PNFEPPOYPY IPAHITKPKE HKKLFLVQLQ EKALFAVPKN

YKLVAAPLFE LYDNAPGYGP IISSLPQLLS RFNFIYN.

