

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-2907: UCHL5 Recombinant Protein

Alternative Name :

 $Ubiquitin\ Carboxyl-terminal\ Hydrolase\ L5, UCH37, CGI-70, UCH-L5, INO80R, Ubiquitin\ thioesterase\ L5, INO80R, Ubiquitin\ thioesterase\ Ubiquitin\ thioeste$

complex subunit R,EC 3.4.19.12, Ubiquitin Carboxyl-terminal Esterase L5.

Description

Source: Escherichia Coli. UCHL5 produced in E.Coli is a single, non-glycosylated polypeptide chain containing349 amino acids (1-329a.a.) and having a molecular mass of 39.7kDa.UCHL5 is fused to a 20 amino acid His-tag at N-terminus & purified by proprietary chromatographic techniques. UCHL5 is a member of the peptidase C12 family. UCHL5 protein is a protease that specifically cleaves 'Lys-48'-linked polyubiquitin chains, and deubiquitinating enzyme related to the 19S regulatory subunit of the 26S proteasome.

Product Info

Amount: 20 µg

Purification: Greater than 90% as determined by SDS-PAGE.

Content: The UCHL5 protein solution (0.5mg/ml) is formulated in 20mM Tris-HCl buffer (pH8.0), 5mM DTT,

200mM NaCl, 0.1mM PMSF, 2mM EDTA and 30% glycerol.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of

Storage condition: time. For long term it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple

freeze-thaw cycles.

Amino Acid: MGSSHHHHHHSSGLVPRGSH MTGNAGEWCL MESDPGVFTE LIKGFGCRGA QVEEIWSLEP

ENFEKLKPVH GLIFLFKWQP GEEPAGSVVQ DSRLDTIFFA KQVINNACAT QAIVSVLLNC THQDVHLGET LSEFKEFSQS FDAAMKGLAL SNSDVIRQVH NSFARQQMFE FDTKTSAKEE DAFHFVSYVP VNGRLYELDG LREGPIDLGA CNQDDWISAV RPVIEKRIQK YSEGEIRFNL MAIVSDRKMI YEQKIAELQR QLAEEEPMDT DQGNSMLSAI QSEVAKNQML IEEEVQKLKR

YKIENIRRKH NYLPFIMELL KTLAEHQQLI PLVEKAKEKQ NAKKAQETK

Application Note

Specific activity: > 500 pmole/min/ug. Measured by the hydrolysis of Ubiquitin-AMC at pH 8.0, at 37°C.

