

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-3108: PTPN6 Recombinant Protein

Alternative Name : Tyrosine-protein phosphatase non-receptor type 6,EC 3.1.3.48,Protein-tyrosine phosphatase 1C,PTP-1C,Hematopoietic cell protein-tyrosine phosphatase,SH-PTP1,Protein-tyrosine phosphatase

SHP-1,PTPN6,HCP,HCPH,SHP1,HPTP1C,SHP-1L.

## **Description**

Source: Escherichia Coli. PTPN6 Human Recombinant produced in E.Coli is a single,non-glycosylated polypeptide chain containing 300 amino acids and having a molecular mass of 34.3 kDa. The protein coding region of the catalytic domain of PTPN6 (amino acids 243-541). The catalytic domain of PTPN6 was overexpressed as insoluble protein aggregates (inclusion bodies). The recombinant PTPN6 protein was purified by FPLC gel-filtration chromatography, after refolding of the isolated inclusion bodies in a redox buffer. Additional amino acid(Met) is attached at N-terminus. PTPN6 is a member of the protein tyrosine phosphatase (PTP) family. PTPs are known to be signaling molecules that regulate a variety of cellular processes including cell growth, differentiation, mitotic cycle, and oncogenic transformation. N-terminal part of this PTP contains two tandem Src homolog (SH2) domains, which act as protein phospho-tyrosine binding domains, and mediate the interaction of this PTP with its substrates. This PTP is expressed primarily in hematopoietic cells, and functions as an important regulator of multiple signaling pathways in hematopoietic cells. This PTP has been shown to interact with, and dephosphorylate a wide spectrum of phospho-proteins involved in hematopoietic cell signaling. Multiple alternatively spliced variants of this gene, which encode distinct isoforms, have been reported.

## **Product Info**

**Amount :** 20 μg

**Purification :** Greater than 95.0% as determined by SDS-PAGE.

Content: The protein contains 25mM Tris-HCl, pH 7.5, 2mM b-mercaptoethanol, 1mM EDTA, 1mMDTT and

20%Glycerol.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA).

Avoid multiple freeze-thaw cycles.

Amino Acid: MGFWEEFES LQKQEVKNLH QRLEGQRPEN KGKNRYKNIL PFDHSRVILQ GRDSNIPGSD YINANYIKNQ

LLGPDENAKT YIASQGCLEA TVNDFWQMAW QENSRVIVMT TREVEKGRNK CVPYWPEVGM

QRAYGPYSVT NCGEHDTTEY KLRTLQVSPL DNGDLIREIW HYQYLSWPDH GVPSEPGGVL SFLDQINQRQ ESLPHAGPII VHCSAGIGRT GTIIVIDMLM ENISTKGLDCDIDIQKTIQM VRAQRSGMVQ TEAQYKFIYV

AIAQFIETTK KKLEVLQSQK GQESEYGNITY.

