

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-3176: Alpha Actinin Native Protein

Alternative Name : Alpha-actinin-1,Alpha-actinin cytoskeletal isoform,Non-muscle alpha-actinin-1,F-actin cross-linking protein,ACTN1.

Description

Source: Chicken Gizzard. Ultra pure Alpha Actinin having a Molecular mass of 95,000 Dalton. ACTN1 encodes a nonmuscle, cytoskeletal, alpha actinin isoform and maps to the same site as the structurally similar erythroid beta spectrin gene. Alpha actinins belong to the spectrin gene superfamily which represents a diverse group of cytoskeletal proteins, including the alpha and beta spectrins and dystrophins. Alpha actinin is an actin-binding protein with multiple roles in different cell types. In nonmuscle cells, the cytoskeletal isoform is found along microfilament bundles and adherens-type junctions, where it is involved in binding actin to the membrane. In contrast, skeletal, cardiac, and smooth muscle isoforms are localized to the Z-disc and analogous dense bodies, where they help anchor the myofibrillar actin filaments.

Product Info

Amount: $50 \mu g$

Purification: Greater than 95.0% as determined by:(a) Analysis by RP-HPLC.(b) Analysis by SDS-PAGE.

Content:

The protein was lyophilized from a 1mg/ml solution containing 10mM Tris acetate buffer pH 7.6,

0.1mM EDTA, 2mM DTT, and 20mM NaCl.

Lyophilized a-Actinin although stable at room temperature for 3 weeks, should be stored desiccated below -18°C. Upon reconstitution a-Actinin should be stored at 4°C between 2-7 days and for future use below -18°C. For long term storage it is recommended to add a carrier

protein (0.1% HSA or BSA).Please prevent freeze-thaw cycles.

Application Note

Storage condition:

It is recommended to reconstitute the lyophilized a-Actinin in sterile $18M\tilde{A} \square \hat{A} \odot$ -cm H2O not less than $100\tilde{A} \square \hat{A} \mu g/ml$, which can then be further diluted to other aqueous solutions.

