w abeomics

32-3855: GADD45A Recombinant Protein

Alternative Name : Growth arrest and DNA damage-inducible protein GADD45 alpha,DNA damage-inducible transcript 1 protein,DDIT-1,GADD45A,DDIT1,GADD45.

Description

Source : Escherichia Coli. GADD45A produced in E.Coli is a single, non-glycosylated polypeptide chain containing 173 amino acids (1-165 a.a.) and having a molecular mass of 19.4kDa. GADD45A is fused to 8 amino acids His Tag at C-terminus and purified by proprietary chromatographic techniques. Growth arrest and DNA Damage-Inducible Protein (GADD45A) binds both Cdks and PCNA. GADD45A is involved in DNA replication and repair. GADD45A stimulates DNA excision repair in vitro and inhibits entry of cells into S phase. GADD45A may serve as a link between p53-dependent cell cycle checkpoint and DNA repair. The GADD45A gene belongs to a group of genes whose transcript levels are increased following stressful growth arrest conditions and treatment with DNA-damaging agents. GADD45A responds to environmental stresses by mediating activation of the p38/JNK pathway via MTK1/MEKK4 kinase. GADD45A binds to proliferating cell nuclear antigen.

Product Info

Amount :	25 μg
Purification :	Greater than 85.0% as determined by SDS-PAGE.
Content :	The GADD45A protein solution contains 20mM Tris-HCl buffer (pH8.0), 10% glycerol and 0.1M NaCl.
Storage condition :	Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid multiple freeze-thaw cycles.
Amino Acid :	MTLEEFSAGE QKTERMDKVG DALEEVLSKA LSQRTITVGV YEAAKLLNVD PDNVVLCLLA ADEDDDRDVA LQIHFTLIQA FCCENDINIL RVSNPGRLAE LLLLETDAGP AASEGAEQPP DLHCVLVTNP HSSQWKDPAL SQLICFCRES RYMDQWVPVI NLPERLEHHH HHH.

