

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-4378: Human Orosomucoid 1

Alternative Name: Orosomucoid 1,ORM,AGP1,OMD 1,AGP-A,alpha-1-acid glycoprotein 1,ORM1.

## **Description**

Source: Human pooled serum. The Human Orosomucoid 1 produced from Human pooled serum has a molecular mass of 21.56kDa (calculated without glycosylation) containing 183 amino acid residues. The acute phase plasma protein ORM1 synthesized by the liver mediates the interaction between blood cells and endothelial cells. In addition, together with haptoglobin and C reactive protein, ORM1 regulates the extravasation of the cells through infection and inflammation. Expression of ORM1 is induced by acute-phase stimulatory mediators such as bacterial lipopolysaccharides.

## **Product Info**

Amount:  $10 \mu g$ 

**Purification:** Greater than 95.0% as determined by SDS-PAGE.

Content:

ORM1 protein filtered (0.4µm) and lyophilized in 0.5 mg/ml in 20mM TRIS and 50mM NaCl, pH

7.5.

Store lyophilized protein at -20°C. Aliquot the product after reconstitution to avoid repeated

**Storage condition:** freezing/thawing cycles. Reconstituted protein can be stored at 4°C for a limited period of time;

it does not show any change after two weeks at 4°C.

Amino Acid: QIPLCANLVP VPITNATLDQ ITGKWFYIAS AFRNEEYNKS VQEIQATFFY FTPNKTEDTI FLREYQTRQD

OCIYNTTYLN VORENGTISR YVGGOEHFAH LLILRDTKTY MLAFDVNDEK NWGLSVYADK PETTKEOLGE

FYEALDCLRI PKSDVVYTDW KKDKCEPLEK QHEKERKQEE GES.

## **Application Note**

It is recommended to add deionized water to prepare a working stock solution of approximately 0.5 mg/ml and let the lyophilized pellet dissolve completely. Product is not sterile! Please filter the product by an appropriate sterile filter before using it in the cell culture.

