

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-5116: Recombinant Human Tumor Protein Translationally-Controlled 1

Alternative Name : TCTP,Fortilin,Histamine-Releasing Factor,Translationally-controlled tumor protein,p23,HRF,Fortilin,p02,FLJ27337,TPT1.

Description

Source: Escherichia Coli. TPT1 Human Recombinant produced in E.Coli is a single, non-glycosylated, polypeptide chain containing 210 amino acids (1-172 a.a.) and having a molecular mass of 23.9 kDa. TPT1 is fused to a 38 amino acid His-Tag at N-Terminus and purified by proprietary chromatographic techniques. TPT1 takes part in calcium binding and microtubule stabilization. TPT1 is an immunoglobulin E dependent histamine-releasing factor produced by lymphocytes of atopic children and present in biologic fluids of allergic patients. TPT1 protein is similar to p23, a protein of Ehrlich ascites tumor cells, synthesized in the exponentially growing tumor. TPT1 is similar with IgE-dependent histamine releasing factor. TPT1 has a cell housekeeping function. TPT1 is involved in spermatogenesis and acts as a calcium binding protein of the human placenta that regulates calcium handling in trophoblast cells.

Product Info

Amount: 25 μg

Purification: Greater than 90% as determined by SDS-PAGE.

Content: TPT1 solution containing 20mM Tris-HCl pH-8, 0.1M NaCl and 10% glycerol.

Store at 4°C if entire vial will be used within 2-4 weeks. Store, frozen at -20°C for longer periods of time. For long term storage it is recommended to add a carrier protein (0.1% HSA or BSA). Avoid

multiple freeze-thaw cycles.

Amino Acid: MRGSHHHHHH GMASMTGGQQ MGRDLYDDDD KDRWGSHMMI IYRDLISHDE MFSDIYKIRE

IADGLCLEVE GKMVSRTEGN IDDSLIGGNA SAEGPEGEGT ESTVITGVDI VMNHHLQETS FTKEAYKKYI KDYMKSIKGK LEEQRPERVK PFMTGAAEQI KHILANFKNY QFFIGENMNP

DGMVALLDYR EDGVTPYMIF FKDGLEMEKC.

