

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 10-1058: Monoclonal Antibody to 14-3-3 Theta (Clone: ABM52H6)

Clonality: Monoclonal **Clone Name:** ABM52H6 Application: WB Reactivity: Mouse Gene: Ywhaq Gene ID: 22630 **Uniprot ID:** P68254 **Purified** Format:

Alternative Name: 14-3-3 protein tau Isotype: Rat IgG2a, kappa

Immunogen Information: Full length recombinant protein of 14-3-3 Theta was used as the immunogen for this antibody.

## **Description**

14-3-3 Theta, a member of 14-3-3 family, is an adapter protein that plays an important role in a wide range of vital regulatory processes, including signal transduction, apoptosis, cell cycle progression and DNA replication. Humans have seven 14-3-3 isoforms (beta, gamma, epsilon, eta, sigma, theta and zeta) that serve as scaffolds to promote interactions of regulatory phospho-proteins involved in many vital cellular processes. 14-3-3 Theta binds to a large number of partners, usually by recognition of a phosphoserine or phosphothreonine motif, resulting in the modulation of the activity of the binding partner except PDPK1, whose kinase activity is negatively regulated. Previous studies have shown that disturbances in native 14-3-3 levels can contribute significantly to the development of various cancers. In lung cancer biopsies, 14-3-3 Theta is found to be present in abundance.

## **Product Info**

**Amount :**  $25 \mu g / 100 \mu g$ 

**Purification:** Protein G Chromatography

**Content:** 25 μg in 50 μl/100 μg in 200 μl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium

azide is highly toxic.

**Storage condition :** Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid

repeated freeze and thaw cycles.

## **Application Note**

WB: 2-4 μg/ml



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Fig-1:Western blot analysis of 14-3-3 Theta. Anti-14-3-3 Theta antibody (Clone: ABM52H6) was used at 2  $\mu g/ml$  on mBrain lysate.