

## 10-4144: Monoclonal Antibody to Human CD70 (Clone: BU69)

<b>Clonality :</b>	Monoclonal
<b>Clone Name :</b>	BU69
<b>Application :</b>	FACS
<b>Reactivity :</b>	Human
<b>Gene :</b>	CD70
<b>Gene ID :</b>	970
<b>Uniprot ID :</b>	P32970
<b>Format :</b>	Purified
<b>Alternative Name :</b>	CD27-L,CD27LCD27 ligand,CD70 molecule,TNFSF7CD70 antigen, tumor necrosis factor (ligand) superfamily,member 7,Tumor necrosis factor ligand superfamily member 7
<b>Isotype :</b>	Mouse IgG1 Kappa
<b>Immunogen Information :</b>	Human WM-1 (Waldenstrom s macroglobulinemia) cell line were used as immunogen for this antibody.

### Product Info

<b>Amount :</b>	25 µg / 100 µg
<b>Purification :</b>	Protein G Chromatography
<b>Content :</b>	25 µg in 50 µl/100 µg in 200 µl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium azide is highly toxic.
<b>Storage condition :</b>	Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles.

### Application Note

FACS: 0.5-1 µg/10<sup>6</sup> cells




Fig-1: Cell Surface flow analysis of hCD70 in U266 cell line using 0.5 µg/10<sup>6</sup> cells. Green represents isotype control (ABEOMICS); red represents anti-hCD70 antibody (10-4144). Goat anti-mouse PE conjugated secondary antibody (ABEOMICS) was used.