

35-1057: Polyclonal Antibody to p73 (Phospho-Tyr99)

Clonality :	Polyclonal
Application :	WB
Reactivity :	Human
Gene :	TP73
Gene ID :	7161
Uniprot ID :	O15350
Format :	Purified
Alternative Name :	TP73, TRP73, p53-related protein, p73-alpha
Isotype :	Rabbit IgG
Immunogen Information :	Peptide sequence around phosphorylation site of tyrosine 99 (S-P-Y(p)-A-Q) derived from Human P73.

Description

This gene encodes tumor protein p73, which is a member of the p53 family of transcription factors involved in cellular responses to stress and development. The family members include p53, p63, and p73 and have high sequence similarity to one another, which allows p63 and p73 to transactivate p53-responsive genes causing cell cycle arrest and apoptosis. The family members can interact with each other in many ways involving direct or indirect protein interactions, resulting in regulation of the same target gene promoters or regulation of each other's promoters. The p73 protein is expressed at very low levels in normal tissues and is differentially expressed in a number of tumors. The p73 gene expresses at least 35 mRNA variants due to the use of alternate promoters, alternate translation initiation sites, and multiple splice variations. Theoretically this can account for 29 different p73 isoforms; however, the biological validity and the full-length nature of most variants have not been determined. Yuan ZM, et al.(1999) Nature.399(6738): 814-817.

Product Info

Amount :	50 µl / 100 µl
Content :	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage condition :	Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles.

Application Note

Predicted MW: 80kd, Western blotting: 1:500~1:1000




Figure 1: Western blot analysis of extracts from 293 cells untreated or treated with UV using p73(Phospho-Tyr99) Antibody 35-1057 .