

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 35-1097: Polyclonal Antibody to p53 (Phospho-Ser315)

Clonality: Polyclonal
Application: IHC,WB,IF
Reactivity: Human
Gene: TP53
Gene ID: 7157
Uniprot ID: P04637
Format: Purified

Alternative Name: Tumor suppressor p53, Phosphoprotein p53, Antigen NY-CO-13, TP53

Isotype: Rabbit IgG

Immunogen Information: Peptide sequence around phosphorylation site of serine 315 (S-S-S(p)-P-Q) derived from Human

p53.

## **Description**

Acts as a tumor suppressor in many tumor types; induces growth arrest or apoptosis depending on the physiological circumstances and cell type. Involved in cell cycle regulation as a trans-activator that acts to negatively regulate cell division by controlling a set of genes required for this process. One of the activated genes is an inhibitor of cyclin-dependent kinases. Apoptosis induction seems to be mediated either by stimulation of BAX and FAS antigen expression, or by repression of Bcl-2 expression. Implicated in Notch signaling cross-over.

## **Product Info**

**Amount**: 50 μl / 100 μl

Content: Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM

NaCl, 0.02% sodium azide and 50% glycerol.

Storage condition:

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid

repeated freeze and thaw cycles.

## **Application Note**

Predicted MW: 53kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100, Immunofluorescence: 1:100~1:200




Figure 1: Western blot analysis of extracts from Hela cells using p53(Phospho-Ser315) Antibody 35-1097 (Lane 2) and the same antibody preincubated with blocking peptide(Lane1).



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using p53(Phospho-Ser315) Antibody 35-1097 (left) or the same antibody preincubated with blocking peptide(right).




Figure 3: Immunofluorescence staining of methanol-fixed Hela cells using p53(Phospho-Ser315) Antibody 35-1097.