

### 35-1212: Polyclonal Antibody to Met (Phospho-Tyr1234)

<b>Clonality :</b>	Polyclonal
<b>Application :</b>	WB
<b>Reactivity :</b>	Human,Mouse,Rat
<b>Gene :</b>	MET
<b>Gene ID :</b>	4233
<b>Uniprot ID :</b>	P08581
<b>Format :</b>	Purified
<b>Alternative Name :</b>	HGF receptor, receptor, Met proto-oncogene tyrosine kinase, c-met, kinase Met
<b>Isotype :</b>	Rabbit IgG
<b>Immunogen Information :</b>	Peptide sequence around phosphorylation site of tyrosine 1234 (K-E-Y(p)-Y-S) derived from Human Met.

#### Description

Receptor for hepatocyte growth factor and scatter factor. Has a tyrosine-protein kinase activity. Functions in cell proliferation, scattering, morphogenesis and survival.

#### Product Info

<b>Amount :</b>	50 µl / 100 µl
<b>Content :</b>	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg <sup>2+</sup> and Ca <sup>2+</sup> ), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
<b>Storage condition :</b>	Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles.

#### Application Note

Predicted MW: 156kd, Western blotting: 1:500~1:1000




Figure 1: Western blot analysis of extracts from A431 cells untreated or treated with HGF using Met(Phospho-Tyr1234) Antibody 35-1212 .