

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 35-1425: Polyclonal Antibody to HER2 (Ab-1221/1222) (Discontinued)

Clonality: Polyclonal Application: IHC,WB,IF Reactivity: Human ERBB2 Gene: Gene ID: 2064 P04626 **Uniprot ID:** Format: Purified

**Alternative Name:** C-erbB-2, ErbB2 Rabbit IgG Isotype:

Immunogen Information: Peptide sequence around aa.1219~1223/1220~1224 (N-L-Y-Y-W) derived from Human HER2.

## **Description**

Essential component of a neuregulin-receptor complex, although neuregulins do not interact with it alone. GP30 is a potential ligand for this receptor. Not activated by EGF, TGF-a and amphiregulin.

## **Product Info**

Amount:  $50 \mu g / 100 \mu g$ 

Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM Content:

NaCl, 0.02% sodium azide and 50% glycerol.

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

## **Application Note**

Predicted MW: 185kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100, Immunofluorescence: 1:100~1:200




Figure 1: Western blot analysis of extracts from SKOV3 and MDA cells using HER2(Ab-1221/1222) Antibody 35-1425.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using HER2(Ab-1221/1222) Antibody 35-1425 (left) or the same antibody preincubated with blocking peptide(right).




Figure 3: Immunofluorescence staining of methanol-fixed MCF cells using HER2(Ab-1221/1222) Antibody 35-1425 .