

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

35-1553: Polyclonal Antibody to 4E-BP1 (Ab-36)

Clonality: Polyclonal Application: IHC,WB

Reactivity: Rat, Mouse, Human

Gene : EIF4EBP1
Gene ID : 1978
Uniprot ID : Q13541
Format : Purified

Alternative Name: EIF4EBP1, PHAS-1

Isotype: Rabbit IgG

Immunogen Information: Peptide sequence around aa.34~38 (S-T-T-P-G) derived from Human 4E-BP1.

Description

4E-BP1 encodes one member of a family of translation repressor proteins. The protein directly interacts with eukaryotic translation initiation factor 4E (eIF4E), which is a limiting component of the multisubunit complex that recruits 40S ribosomal subunits to the 5' end of mRNAs. Interaction of this protein with eIF4E inhibits complex assembly and represses translation. This protein is phosphorylated in response to various signals including UV irradiation and insulin signaling, resulting in its dissociation from eIF4E and activation of mRNA translation.

Product Info

Amount : 50 μl / 100 μl

Content: Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM

NaCl, 0.02% sodium azide and 50% glycerol.

Storage condition : Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid

repeated freeze and thaw cycles.

Application Note

Predicted MW: 18kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from HepG2 and 293 cells using 4E-BP1(Ab-36) Antibody 35-1553 .



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using 4E-BP1(Ab-36) Antibody 35-1553 (left) or the same antibody preincubated with blocking peptide(right).