

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

35-1578: Polyclonal Antibody to P38 MAPK (Ab-182)

Clonality: Polyclonal

Application: WB

Human, Mouse, Rat Reactivity:

Gene: MAPK14 Gene ID: 1432 **Uniprot ID:** Q16539 Format: Purified

Alternative Name: MAPK2, MAPKAPK-2, MAPKAPK2

Isotype: Rabbit IgG

Immunogen Information: Peptide sequence around aa. 180~184 (T-G-Y-V-A) derived from Human P38 MAPK.

Description

Responds to activation by environmental stress, pro-inflammatory cytokines and lipopolysaccharide (LPS) by phosphorylating a number of transcription factors, such as ELK1 and ATF2 and several downstream kinases, such as MAPKAPK2 and MAPKAPK5. Plays a critical role in the production of some cytokines, for example IL-6. May play a role in stabilization of EPO mRNA during hypoxic stress. Isoform Mxi2 activation is stimulated by mitogens and oxidative stress and only poorly phosphorylates ELK1 and ATF2. Isoform Exip may play a role in the early onset of apoptosis.

Product Info

Amount: $50 \mu l / 100 \mu l$

Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM Content:

NaCl, 0.02% sodium azide and 50% glycerol.

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

Application Note

Predicted MW: 43kd, Western blotting: 1:500~1:1000




Figure 1: Western blot analysis of extracts from 293 and Hela cells using P38 MAPK(Ab-182) Antibody 35-1578.