

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

35-1732: Polyclonal Antibody to stathmin1 (Ab-62)

Clonality: Polyclonal WB,IHC Application:

Reactivity: Human, Mouse, Rat

Gene: STMN1 Gene ID: 3925 **Uniprot ID:** P16949 Format: Purified

Alternative Name: STMN1, STN1, stathmin

Rabbit IgG Isotype:

Immunogen Information: Peptide sequence around aa.60~64 (R-K-S-H-E) derived from Human Stathmin 1.

Description

Involved in the regulation of the microtubule (MT) filament system by destabilizing microtubules. Prevents assembly and promotes disassembly of microtubules. Phosphorylation at Ser-16 may be required for axon formation during neurogenesis. Involved in the control of the learned and innate fear

Product Info

Amount: $50 \mu l / 100 \mu l$

Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM Content:

NaCl, 0.02% sodium azide and 50% glycerol.

Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

Application Note

Predicted MW: 19kd, Western blotting: 1:500~1:1000, Immunohistochemistry: 1:50~1:100




Figure 1: Western blot analysis of extracts from Hela cells using stathmin1(Ab-62) Antibody 35-1732 and the same antibody preincubated with blocking peptide.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: Immunohistochemical analysis of paraffin-embedded human colon carcinoma tissue using stathmin1(Ab-62) Antibody 35-1732 (left) or the same antibody preincubated with blocking peptide(right).