∗ abeomics

35-1871: Polyclonal Antibody to SIRT1 (Ab-344)

Clonality :	Polyclonal
Application :	WB
Reactivity :	Rat,Mouse,Human
Gene :	SIRT1
Gene ID :	23411
Uniprot ID :	Q96EB6
Format :	Purified
Alternative Name :	SIR2L1
Isotype :	Rabbit IgG
Immunogen Information : Peptide sequence around aa.342~346 (N-Y-T-Q-N) derived from Human SIRT1.	

Description

NAD-dependent protein deacetylase that links transcriptional regulation directly to intracellular energetics and participates in the coordination of several separated cellular functions such as cell cycle, response to DNA damage, metobolism, apoptosis and autophagy. Can modulate chromatin function through deacetylation of histones and can promote alterations in the methylation of histones and DNA, leading to transcriptional repression. Deacetylates a broad range of transcription factors and coregulators, thereby regulating target gene expression positively and negatively. Serves as a sensor of the cytosolic ratio of NAD+/NADH which is altered by glucose deprivation and metabolic changes associated with caloric restriction. Is essential in skeletal muscle cell differentiation and in response to low nutrients mediates the inhibitory effect on skeletal myoblast differentiation which also involves 5'-AMP-activated protein kinase (AMPK) and nicotinamide phosphoribosyltransferase (NAMPT).

Product Info

Amount :	50 μl / 100 μl
Content :	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage condition :	Store the antibody at 4°C, stable for 6 months. For long-term storage, store at -20°C. Avoid repeated freeze and thaw cycles.

Application Note

Western blotting :1:500~1:1000



Figure 1: Western blot analysis of extracts from 293T, Hela, JK and HepG2 cells using SIRT1 (Ab-344) Antibody 35-1871 .

For Research Use Only. Not for use in diagnostic/therapeutics procedures.