

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 12-1044: Recombinant Rabbit Monoclonal Antibody to Tyrosinase-Related Protein-1 (TYRP-1) (Melanoma Marker)(Clone: TYRP1/1564R)

Clonality: Monoclonal
Clone Name: TYRP1/1564R

Application: IHC

Reactivity: Human, Mouse

 Gene :
 TYRP1

 Gene ID :
 7306

 Uniprot ID :
 P17643

 Format :
 Purified

5, 6 dihydroxyindole 2 carboxylic acid oxidase, 6-dihydroxyindole-2-carboxylic acid oxidase,

Alternative Name: Associated with iris pigmentation, CAS2, Catalase B (CATB), DHICA oxidase, Glycoprotein75

(GP75), Melanoma antigen gp75, Tyrosinase-related protein 1 (TYRP1), TYRRP

Isotype: Rabbit IgG

Immunogen Information: Recombinant human full-length TYRP1 protein

## **Description**

It reacts with a 75kDa melanocyte-specific gene product, identified as Tyrosinase-related protein-1 (TRP-1). It is involved in melanin synthesis. TRP1 is present on the melanosomal membranes of melanoma, normal melanocytes and nevi. Recent evidence suggests that TRP-1 is involved in maintaining stability of tyrosinase protein and modulating its catalytic activity. TRP-1 is also involved in maintenance of melanosome ultrastructure and affects melanocyte proliferation and cell death.

## **Product Info**

**Amount :** 20 μg / 100 μg

**Purification:** Purified Ab with BSA and Azide at 200ug/ml

Content: 200ug/ml of Ab purified by Protein A. Prepared in 10mM PBS with 0.05% BSA & 0.05% azide.

Also available WITHOUT BSA & azide at 1.0mg/ml.

Storage condition:

Storage condition:

Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid

repeated freeze and thaw cycles.

## **Application Note**

Immunohistochemistry (Formalin-fixed) (1-2Âμg/ml for 30 minutes at RT)(Staining of formalin-fixed tissues requires heating tissue sections in 10mM Tris with 1mM EDTA, pH 9.0, for 45 min at 95&degC followed by cooling at RT for 20 minutes);




Figure 1: Formalin-fixed, paraffin-embedded human Melanoma stained with TYRP1 Rabbit Recombinant MAb (TYRP1/1564R) using AEC Chromogen.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure 2: SDS-PAGE Analysis of Purified TYRP1 Rabbit Recombinant Monoclonal Antibody (TYRP1/1564R) using AEC Chromogen.