w abeomics

10-9553: Recombinant Rabbit Monoclonal Antibody to Acetylated Histone H3 Lysine 4 (K4ac) (Clone: RM149)(Discontinued)

Clonality :	Monoclonal
Clone Name :	RM149
Application :	WB,ELISA,Multiplex,ICC
Reactivity :	All Species
Gene :	НЗГЗА
Gene ID :	3020
Uniprot ID :	P84243
Format :	Purified
Alternative Name :	Histone H3.3
Isotype :	Rabbit IgG
Immunogen Information : An acetyl-peptide corresponding to the Acetyl-Histone H3 (Lys4)	

Product Info

Amount :	100 µg
Purification :	Protein A affinity purified from an animal origin-free culture supernatant
Content :	1 mg/ml in 50% Glycerol/PBS with 1% BSA and 0.09% sodium azide
Storage condition :	Store at -20°C. Avoid repeated freeze and thaw cycles.

Application Note

Clone RM149 reacts to Histone H3 acetylated at Lysine 4 (K4ac). No cross reactivity with non-modified Lysine 4 or other acetylated Lysines in histone H3. Western Blot: 0.25 Ã\\Aug/ml - 1 Ã\\Aug/ml; ICC: 0.5 Ã\\Aug/ml - 2 Ã\\Aug/ml; ELISA: 0.2 $\tilde{A} \square \hat{A} \mu g/m I - 1 \tilde{A} \square \hat{A} \mu g/m I;$ Multiplex: 0.05 $\tilde{A} \square \hat{A} \mu g/m I \tilde{A} \square \hat{A} \square \Omega \square 0.5 \tilde{A} \square \hat{A} \mu g/m I.$



Figure 1: Clone: RM149 specifically reacts to Histone H3 acetylatedat Lysine 4 (K4ac). No cross reactivity with non-modified Lysine 4, acetylated Lysine 9 (K9ac), Lysine14 (K14ac), Lysine 18 (K18ac), Lysine 23 (K23ac), Lysine 27 (K27ac), Lysine 36 (K36ac), Lysine 56 (K56ac), lysine 79 (K79ac), or Lysine 122 (K122) in histone H3.



For Research Use Only. Not for use in diagnostic/therapeutics procedures.

₩ abeomics

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982 Email: info@abeomics.com



Figure 3: Immunocytochemistry of HeLa cells treated with sodium butyrate, using Acetyl-Histone H3 (Lys4) Rabbit mAb Clone: RM149 (red). Actin filaments have been labeled with fluorescein phalloidin (green).