

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 10-4162-F: Monoclonal Antibody to CD20 (Clone: ABM46C7) FITC Conjugated

Clonality: Monoclonal Clone Name: ABM46C7 FACS Application: Reactivity: Human Conjugate: FITC Gene: MS4A1 Gene ID: 931 **Uniprot ID:** P11836 Format: Purified **Alternative Name:** MS4A1,CD20

Immunogen Information: A partial length recombinant protein corresponding to extra cellular domain of CD20 was used

as the immunogen for this antibody.

Mouse IgG2b Kappa

## **Description**

Isotype:

CD20 is clinically validated as an immunotherapy target for B-cell lymphomas and autoimmune diseases. CD20 consists of large, intracellular, amino- and carboxyterminal portions connected by 4 membrane-spanning domains. Its high expression on malignant B cells and its reported lack of shedding from the surfacemake CD20 an ideal target for antibody-mediated killing. Anti-CD20 antibodies are believed to mediate the therapeutic effect by activation of complement-dependent cytotoxicity (CDC) and largely by antibody-dependent cellular cytotoxicity exerted by recruitment of innate immune effector cells expressing the Fcgamma receptor Illa.

## **Product Info**

Amount :  $25 \mu g / 100 \mu g$ 

**Purification:** Protein G Chromatography

**Content:** 0.2 mg/ml in Tris buffer containing 0.05% sodium azide.

**Storage condition :** Store the antibody at 4°C; stable for 6 months.

## **Application Note**

FACS :  $0.5 \mu g / 10^6 cells$ 




Fig-1: Cell surface flow analysis of hCD20 in PBMC using 0.5  $\mu$ g/10^6 cells. Green represents isotype control (ABEOMICS); red represents FITC conjugated anti-hCD20 antibody (10-4162F).