

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

10-4049: Monoclonal antibody to CD161 (clone: ABM27F5)

Clonality: Monoclonal **Clone Name:** ABM27F5 Application: FACS Reactivity: Human Gene: KLRB1 Gene ID: 3820 **Uniprot ID:** Q12918 Format: Purified

Killer cell lectin-like receptor subfamily B member 1, C-type lectin domain family 5 member B, **Alternative Name:**

HNKR-P1a, NKR-P1A, Natural killer cell surface protein P1A, CD161

Isotype: Mouse IgG2b, Kappa

Immunogen Information: Full length recombinant protein of hCD161 was used as the immunogen for this antibody.

Description

CD161 is the human equivalent of mouse NK cell receptor P1A. It is a type II transmembrane glycoprotein with characteristics of the C-type lectin superfamily. The expression confines to lymphocytes found in human gut and liver, as well as blood, especially NK (natural killer) cells, Th17 (T helper 17) cells, and a population of unconventional T cells known as MAIT (mucosal-associated invariant T) cells. CD161 promotes T cell expansion and eventually has been identified as a marker of human IL-17-producing T cells. It plays a pivotal role in trans-endothelial migration and is also implicated in the pathogenesis of RA (rheumatoid arthritis) as well as graft-versus-host disease (GVHD).

Product Info

Amount: $25 \mu g / 100 \mu g$

Purification: Protein G Chromatography

25 μg in 50 μl/100 μg in 200 μl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium Content:

azide is highly toxic.

Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid Storage condition:

repeated freeze and thaw cycles.

Application Note

FACS analysis: 0.5-1 µg/10^6 cells



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure-1: Cell surfce flow analysis of hCD161 in human PBMC (Lymphocyte gated) using 0.5 μ g/10^6 cells of hCD161 (Clone: ABM27F5). Green represents isotype control; red represents anti-CD161antibody. Goat anti-mouse PE conjugate was used as secondary antibody.