

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 10-12535: Mouse Monoclonal Antibody to CD247 (CD3 zeta)(Clone :BS103) (Discontinued)

Clonality: Monoclonal
Clone Name: BS103
Application: IHC
Reactivity: Human
Gene: CD247
Gene ID: 919
Uniprot ID: P20963

Alternative Name: T-cell receptor T3 zeta chain, CD3Z, T3Z, TCRZ

**Isotype:** Mouse IgG1

## **Description**

The protein encoded by this gene is T-cell receptor zeta, which together with T-cell receptor alpha/beta and gamma/delta heterodimers, and with CD3-gamma, -delta and -epsilon, forms the T-cell receptor-CD3 complex. The zeta chain plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways. Low expression of the antigen results in impaired immune response. Two alternatively spliced transcript variants encoding distinct isoforms have been found for this gene.

## **Product Info**

**Amount:** 0.1 ml / 0.5 ml

**Content:** TRIS with 0.03% sodium azide, pH7.2

**Storage condition :** Store at 4°C

## **Application Note**

Immunohistochemical Analysis:-1:300




Figure-1: Tonsil section has been stained using CD3 antibody (BS103) with 1:300 dilution. All T cells should be labelled and scattered T cells should be stainedfrom germinal center.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure-2: Tonsil section has been stained using CD3 antibody (BS103) with 1:300 dilution. All T cells should be labelled and scattered T cells should be stained from germinal center.




Figure-3: Appendix section has been stained using CD3 antibody (BS103) with 1:300 dilution. T cells and intraepithelial T cells stained strongly.