9853 Pacific Heights Blvd.
Suite D. San Diego,
CA 92121, USA
Tel: 858-263-4982
Email: info@abeomics.com

10-4125-AC: Monoclonal antibody to Human CD25 (Clone: 7G7B6) APC Conjugated

Clonality :	Monoclonal
Clone Name :	7G7B6
Application :	FACS
Reactivity :	Human
Conjugate :	APC
Gene :	IL2RA
Gene ID :	3559
Uniprot ID :	P01589
Format :	Purified
Alternative Name :	IL2RA,CD25
Isotype :	Mouse IgG2a Kappa
Immunogen Information :	Recombinant human CD25 protein was used as an imunogen for this antidody.

Description

CD25 is the alpha chain of the IL-2 receptor. It is a type I transmembrane protein present on activated T cells, activated B cells, some thymocytes, myeloid precursors, and oligodendrocytes that associates with CD122 to form a heterodimer that can act as a high-affinity receptor for IL-2. Though CD25 has been shown to influence effector function of lymphocytes, it is thought to play a greater role in immune tolerance in mice. Constitutive expression of CD25 on Treg cells is thought to be crucial to their survival and maintenance of immune homeostasis. Expression of CD25 and its role in immunology may be species dependent, since CD25 appears to play a larger role in T-cell effector responses in humans compared to mice, and may be somewhat dispensable for the maintenance of Treg cells as seen in patients treated with CD25-blocking antibodies.

Product Info

Amount :	100 test
Purification :	Protein G Chromatography
Content :	0.04mg/ml in PBS containing 0.05% Azide. Sodium azide is highly toxic.
Storage condition :	Store the antibody at 4°C; stable for 6 months.

Application Note

FACS Analysis: 0.2-0.5 µg/10^6 cells




Fig:1- Cell surface FLOW analysis of hCD25 in PHA treated human PBMC using 0.2 µg/10^6 cells. Green represents APC conjugated mouse IgG2a isotype control (ABEOMICS); red represents APC conjugated anti-hCD25 antibody (10-4125-AC).

For Research Use Only. Not for use in diagnostic/therapeutics procedures.