

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 39-1047: Anti-MAP1 Monoclonal Antibody (Clone:HM-1)

Clonality: Monoclonal Clone Name: HM-1

**Application:** WB,IHC-P,IHC-F

 Reactivity :
 Mouse

 Gene :
 Map1a

 Gene ID :
 25152

 Uniprot ID :
 P34926

Alternative Name: Microtubule-associated protein 1A; MAP-1A; MAP1A heavy chain; MAP1 light chain LC2; Map1a;

Mtap1a

**Isotype:** Mouse IgG1

Immunogen Information: Rat brain microtubule-associated proteins(MAPs).

## Description

Microtubules are the ubiquitous cytoskeletal structural components that are involved in intracellular transport. They are composed of tubulin and microtubule-associated proteins(MAPs). MAP1 is one of the major neuronal MAPs as well as being the largest(350KD). MAPs include MAP1A, MAP1B, and MAP2. MAP1a is a single-copy gene spanning 10.5 kb. MAP1a coding sequence is contained in five exons. MAP1B is encoded as a polyprotein that is processed to form a complex N-terminal microtubule-binding domain.

## **Product Info**

Amount :  $100 \mu g/vial$ Purification : Ascites

Content: Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative.

Reconstitute: Add 1ml of PBS buffer will yield a concentration of 100ug/ml.

Storage condition:

At -20?C for one year. After reconstitution, at 4?C for one month. It can also be aliquotted and

stored frozen at -20?C for a longer time. Avoid repeated freezing and thawing.

## **Application Note**

Western blot : 0.5-2μg/ml; Immunohistochemistry(Paraffin-embedded Section) : 1-2μg/ml; Immunohistochemistry(Frozen

Section): 1-2Î1/4g/ml




Figure 1: Anti-MAP1 monoclonal antibody(39-1047). IHC(P): Rat Brain Tissue.