

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

39-1065: Anti-Mcm7 Monoclonal Antibody (Clone: DCS-141)

Clonality: Monoclonal
Clone Name: DCS-141
Application: WB,ICC
Reactivity: Human
Gene: Mcm7
Gene ID: 288532
Uniprot ID: Q6AYN8

Alternative Name: DNA helicase; 3.6.4.12; Mcm7; rCG_55961

Isotype: Mouse IgG1

Immunogen Information: Recombinant human Mcm7.

Description

Initiation of DNA replication is a complex process involving the concerted action of many proteins. The chromosome 7-linked gene referred to by Nakatsuru et al. as MCM2 has been designated MCM7. The MCM2-7 complex is comprised of 6 subunits, MCM2 through MCM7, and is a ring-shaped heterohexameric ATPase involved in DNA replication. MCM7 is located in 7q21.3-q22.1.

Product Info

Amount : 100 μ g/vial **Purification :** Ascites

Content: Mouse ascites fluid, 1.2% sodium acetate, 2mg BSA, with 0.01mg NaN3 as preservative.

Reconstitute: Add 1ml of PBS buffer will yield a concentration of 100ug/ml.

Storage condition:

At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and

stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Application Note

Western blot : $0.5-1\tilde{A} \square \hat{A}^{1}_{4}g/ml$; Immunocytochemistry : $1\tilde{A} \square \hat{A}^{1}_{4}g/ml$