

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

39-2015: Anti-Alkaline Phosphatase Polyclonal Antibody

Clonality: Polyclonal

Application: WB
Reactivity: Human
Gene: ALPL
Gene ID: 249
Uniprot ID: P05186
Format: Lyophilized

Alternative Name : Alkaline phosphatase, tissue-nonspecific isozyme; AP-TNAP; TNSALP; 3.1.3.1; Alkaline

phosphatase liver/bone/kidney isozyme; ALPL

Isotype: Rabbit IgG

A synthetic peptide corresponding to a sequence at the N-terminus of human Alkaline

Immunogen Information : Phosphatase(31-45aa DQAQETLKYALELQK), different from the related mouse and rat

sequences by three amino acids.

Description

Alkaline phosphatase(ALPL) removes phosphate groups from the 5' end of DNA and RNA, and from proteins, at high pH. Most mammals have 4 different isozymes: placental, placental like, intestinal and non tissue specific(found in liver, kidney and bone). Tissues with particularly high concentrations of ALP include the liver, bile ducts, placenta, and bone. ALPL is the alkaline phosphatase of skin fibroblasts, the tissue-nonspecific type, and that it is active toward millimolar concentrations of the putative natural substrates phosphoethanolamine(PEA) and pyridoxal-5-prime-phosphate(PLP). ALPL gene exists in single copy in the haploid genome and is composed of 12 exons distributed over more than 50 kb.Damaged or diseased tissue releases enzymes into the blood, so serum ALP measurements can be abnormal in many conditions, including bone disease and liver disease.

Product Info

Amount: 100 μg/vial

Purification: Immunogen affinity purified.

Content: Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.

Reconstitute: Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Storage condition:

At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and

stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Application Note

Western blot : $0.1-0.5\tilde{A} \square \hat{A}^{1/4}g/ml$;




Figure 1: All Lanes: Anti ALPL(39-2015) at 0.5ug/ml. Lane 1: Human Placenta Tissue Lysate at 50ug, Lane 2: HT1080 Whole Cell Lysate at 40ug, Lane 3: JURKAT Whole Cell Lysate at 40ug. Predicted band size: 57 kDa. Observed band size: 57 kDa.