

39-2032: Anti-CCR5 Polyclonal Antibody

Clonality :	Polyclonal
Application :	WB
Reactivity :	Mouse
Gene :	Ccr5
Gene ID :	12774
Uniprot ID :	P51682
Format :	Lyophilized
Alternative Name :	C-C chemokine receptor type 5; C-C CKR-5; CC-CKR-5; CCR-5; MIP-1 alpha receptor; CD195; Ccr5; Cmkbr5
Isotype :	Rabbit IgG
Immunogen Information :	A synthetic peptide corresponding to a sequence in the middle region of mouse CCR5(181-199aa SPHPHTQYHFWKSFQTLK).

Description

Human CC chemokine receptor 5(CCR5), which is 17.5 kb from the CMKBR2 gene, encodes a 352-amino acid protein with a calculated molecular mass of 40,600 Da. It is organized into four exons and two introns. Human CCR5 is a co-receptor for macrophage-tropic strains of human immunodeficiency virus(HIV)-1 and is expressed by bone-marrow-derived cells. CCR5 is expressed on neurons, astrocytes, and microglia in the central nervous system, and on epithelium, endothelium, vascular smooth muscle and fibroblasts in other tissues. Functionally, CCR5 mediates the activation of cells by the chemokines macrophage inflammatory protein-1alpha, macrophage inflammatory protein-1beta, and RANTES, and serves as a fusion cofactor for macrophage-tropic strains of human immunodeficiency virus type 1.

Product Info

Amount :	100 µg/vial
Purification :	Immunogen affinity purified.
Content :	Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na ₂ HPO ₄ , 0.05mg Thimerosal, 0.05mg NaN ₃ . Reconstitute : Add 0.2ml of distilled water will yield a concentration of 500ug/ml.
Storage condition :	At -20°C for one year. After reconstitution, at 4°C for one month. It can also be aliquotted and stored frozen at -20°C for a longer time. Avoid repeated freezing and thawing.

Application Note

Western blot : 0.1-0.5 µg/ml




Figure 1: Anti-CCR5 antibody(39-2032). Western blotting: Lane 1: Mouse Lung Tissue Lysate, Lane 2: Mouse Intestine Tissue Lysate, Lane 3: Mouse Kidney Tissue Lysate.