

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 39-2066: Anti-TIMP4 Polyclonal Antibody

Clonality: Polyclonal
Application: WB,ELISA
Reactivity: Human
Gene: TIMP4
Gene ID: 7079
Uniprot ID: Q99727
Format: Lyophilized

Alternative Name: Metalloproteinase inhibitor 4; Tissue inhibitor of metalloproteinases 4; TIMP-4; TIMP4

**Isotype:** Rabbit IgG

Immunogen Information: A synthetic peptide corresponding to a sequence at the C-terminus of human TIMP4(209-224aa

RGHLPLRKEFVDIVQP).

## Description

Metalloproteinase inhibitor 4 is an enzyme that in humans is encoded by the TIMP4 gene. And this gene is mapped to chromosome 3p25. This gene belongs to the TIMP gene family. The proteins encoded by this gene family are inhibitors of the matrix metalloproteinases, a group of peptidases involved in degradation of the extracellular matrix. The secreted, netrin domain-containing protein encoded by this gene is involved in regulation of platelet aggregation and recruitment and may play role in hormonal regulation and endometrial tissue remodeling.

## **Product Info**

Amount :  $100 \mu g/vial$ 

Purification: Immunogen affinity purified.

Content: Each vial contains 5mg BSA, 0.9mg NaCl, 0.2mg Na2HPO4, 0.05mg Thimerosal, 0.05mg NaN3.

Reconstitute: Add 0.2ml of distilled water will yield a concentration of 500ug/ml.

Storage condition:

At -20?C for one year. After reconstitution, at 4?C for one month. It can also be aliquotted and

stored frozen at -20?C for a longer time. Avoid repeated freezing and thawing.

## **Application Note**

Western blot: 0.1-0.511/4g/ml; ELISA: 0.1-0.511/4g/ml




Figure 1: Anti-TIMP4 antibody(39-2066). Western blotting: Lane 1: HT1080 Cell Lysate, Lane 2: HELA Cell Lysate, Lane 3: SMMC Cell Lysate.