

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 10-7617: Monoclonal Antibody to Vista (Clone: ABM5C53)

Clonality: Monoclonal Clone Name: ABM5C53 Application: FACS,WB Reactivity: Human Gene: **VSIR** Gene ID: 64115 **Uniprot ID: Q9H7M9** Format: Purified

Alternative Name: Platelet receptor Gi24, Stress-induced secreted protein-1, V-set domain-containing

immunoregulatory receptor, V-set immunoregulatory receptor, C10orf54, SISP1, VSIR

**Isotype:** Mouse IgG2b, Kappa

Immunogen Information: A partial length recombinant towards N-terminal was used as the immunogen for this antibody.

## **Product Info**

**Amount**: 25 μg / 100 μg

**Purification:** Protein G Chromatography

Content: 25 μg in 50 μl/100 μg in 200 μl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium

azide is highly toxic.

Storage condition:

Storage condition:

Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid

repeated freeze and thaw cycles.

## **Application Note**

Western blot analysis: 4-6  $\mu g/ml$ , Flowcytometric analysis: 0.5-1  $\mu g/10^6$  cells




Figure:1- Cell surface staining of U937 cells. Green: Isotope control, Red: anti-Vista (10-7617) antibody.  $0.5~\mu g$  antibody was used. Goat anti-mouse PE was used as secondary antibody.



9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com




Figure:2- Western blot analysis of Vista. Anti-Vista antibody (Clone: ABM5C53) was tested at 4  $\mu$ g/ml on h Testis Lysate.




Figure 3: Cell surface staying of PHA stimulated PBMC. Green represents unstimulated PBMC, red represents stimulated PBMC. 0.5 ug antibody was used. Goat anti-mouse PE was used as secondary antibody.