

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

36-3024: Monoclonal Antibody to Renal Cell Carcinoma (Clone: 66.4.C2)

Clonality: Monoclonal **Clone Name:** 66.4.C2 **FACS** Application: Reactivity: Human Gene: CA9 Gene ID: 768 **Uniprot ID:** Q16790 Format: Purified **Alternative Name:** CA9,G250,MN

Isotype: Mouse IgG2b, kappa

Immunogen Information: Fresh, normal human renal cortical tissue homogenate was used as immunogen to generate

the RCC antibody.

Description

Renal cell carcinoma (RCC) is a common form of kidney cancer. Firstly, renal cell carcinoma (RCC) may initially present as a metastatic lesion of an undetected primary tumor. Secondly, a late occurrence of renal cell carcinoma metastasis after nephrectomy can make it difficult to confirm renal origin. Thirdly, metastatic renal cell carcinoma has morphological similarities with various types of primary non-renal tumors thereby compounding typing challenges. In view of these issues, antibodies recognizing protein markers associated with a given cancer have become important tools for tumor classification

Product Info

Amount: $100 \mu g$

Purification: Protein G Chromatography

Content: 25 µg in 50 µl/100 µg in 200 µl PBS containing 0.05% BSA and 0.05% sodium azide. Sodium

azide is highly toxic.

Storage condition : Store the antibody at 4°C; stable for 6 months. For long-term storage; store at -20°C. Avoid

repeated freeze and thaw cycles.

Application Note

"Flow Cytometry (1-2ug/million cells), Immunofluorescence (1-2ug/ml), Western Blot (1-2ug/ml)




Fig: 1 Immunohistochemical analysis of RCC in human renal cell carcinoma using RCC antibody (Clone: 66.4.C2) at 1: 150 dilution.