

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 43-1069: Monoclonal Antibody to Human CD178 (Fas-L) NALE™ Purified (Clone: NOK-1)

Clonality: Monoclonal **Clone Name:** NOK-1 **FACS** Application: Reactivity: Human Gene: **FASLG** Gene ID: 356 **Uniprot ID:** P48023

Alternative Name: APT1LG1, CD95L, FASL, TNFSF6, Apoptosis antigen ligand, CD95 ligand, Fas antigen ligand

Isotype: Mouse IgG1, kappa

## **Description**

The NOK-1 monoclonal antibody specifically reacts with human CD178, which is the CD95 or Fas ligand. CD178 is a TNF superfamily type II transmembrane glycoprotein expressed by activated T and NK cells and is involved in Fas-mediated apoptosis of lymphocytes. CD178 is also expressed by monocytes, neutrophils, granulocytes and the parenchymal cells of the retina and cornea. The NOK-1 antibody has been reported to bind to COOH-terminus of the Fas ligand in the region associated with Fas binding.

## **Product Info**

Amount: 100 µg

Content: 2.0 mg/ml in Phosphate-buffered aqueous solution, ph7.2.

The product should be stored undiluted at 4°C. Do not freeze. The monoclonal antibody was Storage condition:

purified utilizing affinity chromatography. The endotoxin level is determined by LAL test to be

less than 0.01 EU/µg of the protein.

## **Application Note**

The antibody has been analyzed for quality through the flow cytometric analysis of the relevant cell type. It is recommended that the reagent be titrated for optimal performance for each application.