

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-7006: Recombinant Human Interleukin-11/IL-11

Gene ID: 3589 **Uniprot ID**: P20809

Description

Source: E. coli. MW :19kD.

Recombinant Human Interleukin-11 is produced by our Yeast expression system and the target gene encoding Gly23-Leu199 is expressed. Interleukin 11 (IL-11) is a thrombopoietic growth factor that directly stimulates the proliferation of hematopoietic stem cells and megakaryocyte progenitor cells and induces megakaryocyte maturation resulting in increased platelet production. IL-11 is a member of a family of human growth factors that includes human growth hormone, granulocyte colony-stimulating factor, and other growth factors.

Product Info

Amount: $10 \mu g / 50 \mu g$

Content: Lyophilized from a 0.2 µm filtered solution of 20mM PB, 2% Glycine, pH 7.2.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition : Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: GPPPGPPRVSPDPRAELDSTVLLTRSLLADTRQLAAQLRDKFPADGDHNLDSLPTLAMSAGALGAL

QLPGVLTRLRADLLSYLRHVQWLRRAGGSSLKTLEPELGTLQARLDRLLRRLQLLMSRLALPQPPP

DPPAPPLAPPSSAWGGIRAAHAILGGLHLTLDWAVRGLLLLKTRL

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 $\hat{A}\mu g/ml$. Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin: Less than 0.1 ng/Âμg (1 IEU/Âμg) as determined by LAL test.

Biological Activity : ED50 is less than 0.2 ng/ml. Specific Activity of 8.0 x 10⁶ IU/ mg, measured by the dose-dependent stimulation of murine 7TD1 proliferation.