

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-7156: Recombinant Human Transforming Growth Factor a/TGFa(Discontinued)

Gene ID: TGFA
Gene ID: 7039
Uniprot ID: P01135

## **Description**

Source: E.coli. MW :5.55kD.

Recombinant Human Transforming Growth Factor alpha is produced by our E.coli expression system and the target gene encoding Val41-Val90 is expressed. Transforming Growth Factor a (TGF-a) belongs to the EGF family of cytokines. It is a mitogenic polypeptide and secreted protein, which is expressed by monocytes, keratinocytes, and various tumor cells. TGFa contains two chains, protransforming growth factor a and transforming growth factor a. It can bind to the EGF receptor that synergistically with TGF beta to stimulate anchorage-independent cell proliferation and produce a mitogenic response. TGFa interacts with the PDZ domains of MAGI3, SDCBP and SNTA1. The interaction with SDCBP is required for the targeting to the cell surface.

## **Product Info**

**Amount :**  $10 \mu g / 50 \mu g$ 

Content: Lyophilized from a 0.2 µm filtered solution of 10mM Acetic Acid .

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

**Storage condition :** Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: VSHFNDCPDSHTQFCFHGTCRFLVQEDKPACVCHSGYVGARCEHADLLAV

## **Application Note**

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100  $\tilde{A} \square \hat{A} \mu g/ml$ . Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin**: Less than 0.1 ng/ $\tilde{A} \square \hat{A} \mu g$  (1 IEU/ $\tilde{A} \square \hat{A} \mu g$ ) as determined by LAL test.