

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-7249: Recombinant Human DCN1-Like Protein 1/DCUN1D1 (N-6His)

Gene ID: DCUN1D1
Gene ID: 54165
Uniprot ID: 096GG9

Description

Source: E.coli. MW :32.3kD.

Recombinant Human DCN1-Like Protein 1 is produced by our E.coli expression system and the target gene encoding Met1-Val259 is expressed with a 6His tag at the N-terminus. DCN1-Like Protein 1 is a protein containing 1 DCUN1 domain and 1 UBA-like domain. DCN1-Like Protein 1 contains part of an E3 Ubiquitin Ligase Complex for Neddylation. It is required for Neddylation of Cullin components of E3 Cullin-RING Ubiquitin Ligase complexes. It enhances the rate of Cullins Neddylation. DCN1-Like Protein 1 recruits the NEDD8-charged E2 Enzyme to the Cullin component. DCUN1D1 is involved in the release of inhibitory effects of CAND1 on the Cullin-RING Ligase E3 complex assembly and activity. It acts also as an oncogene facilitating malignant transformation and carcinogenic progression.

Product Info

Amount : $10 \mu g / 50 \mu g$

Content: Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.2.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition: Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: MGSSHHHHHHSSGLVPRGSHMNKLKSSQKDKVRQFMIFTQSSEKTAVSCLSQNDWKLDVATDNFFQNPELYI

RESVKGSLDRKKLEQLYNRYKDPQDENKIGIDGIQQFCDDLALDPASISVLIIAWKFRAATQCEFSKQEFMDGM TELGCDSIEKLKAQIPKMEQELKEPGRFKDFYQFTFNFAKNPGQKGLDLEMAIAYWNLVLNGRFKFLDLWNKFL

LEHHKRSIPKDTWNLLLDFSTMIADDMSNYDEEGAWPVLIDDFVEFARPQIAGTKSTTV

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 $\tilde{A} \square \hat{A} \mu g/ml$. Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin: Less than $0.1 \text{ ng}/\tilde{A} \square \hat{A} \mu g$ (1 IEU/ $\tilde{A} \square \hat{A} \mu g$) as determined by LAL test.