

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

## 32-7530: Recombinant Human Corneodesmosin/CDSN (C-6His)

Gene ID: CDSN
Gene ID: 1041
Uniprot ID: Q15517

## **Description**

Source: Human Cells.

MW:49.3kD.

Recombinant Human Corneodesmosin is produced by our Mammalian expression system and the target gene encoding Lys33-Pro528 is expressed with a 6His tag at the C-terminus. Corneodesmosin is a protein that is encoded by the CDSN gene in humans. This gene encodes a protein found in corneodesmosomes, which localize to human epidermis and other cornified squamous epithelia. During maturation of the cornified layers, the protein undergoes a series of cleavages, which are thought to be required for desquamation.

## **Product Info**

**Amount :** 10 μg / 50 μg

Content: Lyophilized from a 0.2 µm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

**Storage condition :** Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: KSIGTFSDPCKDPTRITSPNDPCLTGKGDSSGFSSYSGSSSSGSSISSARSSGGGSSGSSGSSIA

QGGSAGSFKPGTGYSQVSYSSGSGSSLQGASGSSQLGSSSSHSGSSGSHSGSSSHSSSSSFQ FSSSSFQVGNGSALPTNDNSYRGILNPSQPGQSSSSSQTFGVSSSGQSVSSNQRPCSSDIPDSPC SGGPIVSHSGPYIPSSHSVSGGQRPVVVVVDQHGSGAPGVVQGPPCSNGGLPGKPCPPITSVDKS YGGYEVVGGSSDSYLVPGMTYSKGKIYPVGYFTKENPVKGSPGVPSFAAGPPISEGKYFSSNPIIP SQSAASSAIAFQPVGTGGVQLCGGGSTGSKGPCSPSSSRVPSSSSISGSSGLPYHPCGSASQSPC SPPGTGSFSSSSSSQSSGKIILQPCGSKSSSSGHPCMSVSSLTLTGGPDGSPHPDPSAGAKPCGS

SSAGKIPCRSIRDILAQVKPLGPQLADPEVFLPQGELLDSPVDHHHHHH

## **Application Note**

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100  $\hat{A}\mu g/ml$ . Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin: Less than 0.1 ng/Âμg (1 IEU/Âμg) as determined by LAL test.