

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-7594: Recombinant Mouse a-1-Antitrypsin 1-3/SERPIN A1c (C-6His)(Discontinued)

Gene: Serpina1c Gene ID: 20702 Uniprot ID: Q00896

Description

Source: Human Cells.

MW:44.4kD.

Recombinant Mouse Serine Protease Inhibitor-clade A1c is produced by our Mammalian expression system and the target gene encoding Glu25-Lys413 is expressed with a 6His tag at the C-terminus. Alpha-1-antitrypsin 1-3(SERPIN A1) is a secreted protein and belongs to the serpin family. Serpins bind the protease active site resulting in a major conformational rearrangement that traps the enzyme in a covalent acyl-enzyme intermediate. Mouse SERPIN A1 is a serine protease inhibitor whose targets include elastase, plasmin, thrombin, trypsin, chymotrypsin, and plasminogen activator. Defects in this gene can cause emphysema orliver disease. Several transcript variants encoding the same protein have been found for this gene.

Product Info

Amount: $10 \mu g / 50 \mu g$

Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4. Content:

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition: Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: EDVQETDTSQKDQSPASHEIATNLGDFAISLYRELVHQSNTSNIFFSPVSIATAFAMLSLGSKGDTH

> TQILEGLQFNLTQTSEADIHKSFQHLLQTLNRPDSELQLSTGNGLFVNNDLKLVEKFLEEAKNHYQA EVFSVNFAESEEAKKVINDFVEKGTQGKIAEAVKKLDQDTVFALANYILFKGKWKKPFDPENTEEAE FHVDESTTVKVPMMTLSGMLDVHHCSTLSSWVLLMDYAGNATAVFLLPDDGKMQHLEQTLSKELI SKFLLNRRRRLAQIHFPRLSISGEYNLKTLMSPLGITRIFNNGADLSGITEENAPLKLSQAVHKAVLTI

DETGTEAAAVTVLQMVPMSMPPILRFDHPFLFIIFEEHTQSPIFVGKVVDPTHKVDHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin: Less than 0.1 ng/Âμg (1 IEU/Âμg) as determined by LAL test.