

32-7914: Recombinant Human Vasoactive Intestinal Peptide/VIP (C-6His)

Gene : VIP
Gene ID : 7432
Uniprot ID : P01282

Description

Source: Human Cells.
MW :15.9kD.

Recombinant Human Vasoactive intestinal peptide is produced by our Mammalian expression system and the target gene encoding Ser21-Gly152 is expressed with a 6His tag at the C-terminus. Vasoactive intestinal peptide is also known as the vasoactive intestinal polypeptide or VIP. In humans, it is encoded by the VIP gene. VIP is neuropeptide which belongs to a glucagon/secretin superfamily, the ligand of class II G protein-coupled receptors. VIP is produced in many tissues of vertebrates including the gut, pancreas and suprachiasmatic nuclei of the hypothalamus in the brain. VIP stimulates contractility in the heart, causes vasodilation, lowers arterial blood pressure and relaxes the smooth muscle of trachea, stomach and gall bladder. VIP has a half-life in the blood of about two minutes.

Product Info

Amount : 10 µg / 50 µg
Content : Lyophilized from a 0.2 µm filtered solution of 20mM PB,150mM NaCl,pH7.4.
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : SQTSAWPLYRAPSAALRLGDRIPFEGANEPDQVSLKEDIDMLQNALAENDTPYYDVSRNARHADGV
FTSDFSLLGQLSAKKYLESLMGKRVSNISEDVPVVKRHSDAVFTDNYTRLRKQMAVKKYLNSILN
GVDHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH₂O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.




Figure 1: Recombinant VIP-6His tag protein run on 4-20% SDS PAGE gel with Coomassie staining.