

## 32-8061: Recombinant Human Growth Factor Receptor-Bound Protein 2/GRB2/ASH (C-6His)

**Gene :** GRB2  
**Gene ID :** 2885  
**Uniprot ID :** P62993

### Description

Source: E.coli.  
MW :26.3kD.

Recombinant Human GRB2 is produced by our E.coli expression system and the target gene encoding Met1-Val217 is expressed with a 6His tag at the C-terminus. As an adaptor protein, Growth Factor Receptor-Bound Protein 2 (GRB2) is involved in signal transduction and consists of a central SH2 domain flanked by two SH3 domains. GRB2 associates with activated Tyr-phosphorylated EGF receptor/EGFR and PDGF receptors via its SH2 domain, stimulating GTP binding to Ras, which in turn activates MAPK and other signaling pathway. It also associates to other cellular Tyr-phosphorylated proteins such as SIT1, IRS1, IRS4, SHC and LNK. probably via the concerted action of both its SH2 and SH3 domains.

### Product Info

**Amount :** 10 µg / 50 µg  
**Content :** Lyophilized from a 0.2 µm filtered solution of 20mM TrisHCl, 150mM NaCl, pH 8.0.  
**Storage condition :** Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.  
**Amino Acid :** MEAIAKYDFKATADDELSFKRGDILKVLNEECDQNWYKAELNGKDGFIKPNYIEMKPHPWFFGKIPR  
AKAEEMLSKQRHDGAFLIRESESAPGDFSLSVKFGNDVQHFKVLRDGAGKYFLWVVKFNSLNELV  
DYHRSTSVSRNQIFLRDIEQVPQQPTYVQALFDFDPQEDGELGFRRGDFIHVMDNSDPNWWKG  
ACHGQTGMFPRNYVTPVNRNVLEHHHHHH

### Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in ddH<sub>2</sub>O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

**Endotoxin :** Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.