

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8188: Recombinant Human DnaJ Homolog Subfamily B Member 1/DNAJB1 (C-6His)

Gene ID: DNAJB1
Gene ID: 3337
Uniprot ID: P25685

Description

Source: E. coli. MW :39.1kD.

Recombinant Human Heat Shock 40 kDa Protein is produced by our E.coli expression system and the target gene encoding Gly2-Ile340 is expressed with a 6His tag at the C-terminus. DnaJ Homolog Subfamily B Member 1 (DNAJB1) is a member of the heat shock protein family. Heat shock proteins (HSPs) are a highly conserved family of stress response proteins. HSPs function primarily as molecular chaperones, facilitating the folding of other cellular proteins, preventing protein aggregation, or targeting improperly folded proteins to specific degradative pathways. DNAJB1 regulates cellular processes by aiding in the folding, transport and assembly. DNAJB1 contains a J-domain which controls interaction with the ATPase domain of DnaK. DNAJB1 interacts with HSP70 and can stimulate its ATPase activity. In addition, DNAJB1 stimulates the association between HSC70 and HIP.

Product Info

Amount : $10 \mu g / 50 \mu g$

Content: Lyophilized from a 0.2 µm filtered solution of 20mM PB,150mM NaCl,1mM EDTA,pH7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition : Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: GKDYYQTLGLARGASDEEIKRAYRRQALRYHPDKNKEPGAEEKFKEIAEAYDVLSDPRKREIFDRY

GEEGLKGSGPSGGSGGANGTSFSYTFHGDPHAMFAEFFGGRNPFDTFFGQRNGEEGMDIDDP FSGFPMGMGGFTNVNFGRSRSAQEPARKKQDPPVTHDLRVSLEEIYSGCTKKMKISHKRLNPDGK SIRNEDKILTIEVKKGWKEGTKITFPKEGDQTSNNIPADIVFVLKDKPHNIFKRDGSDVIYPARISLREA LCGCTVNVPTLDGRTIPVVFKDVIRPGMRRKVPGEGLPLPKTPEKRGDLIIEFEVIFPERIPQTSRTVL

EQVLPILEHHHHHH

Application Note

Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 $\hat{A}\mu g/ml$. Dissolve the lyophilized protein in ddH2O. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

Endotoxin: Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.