

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8640: Recombinant Mouse SLAM Family Member 5/SLAMF5/CD84(C-6His)

Gene ID: 12523 **Uniprot ID:** Q18PI6

Description

Source: Human Cells.

MW:23.8kD.

Recombinant Mouse SLAMF5 is produced by our Mammalian expression system and the target gene encoding Lys22-Pro223 is expressed with a 6His tag at the C-terminus. CD84, also called SLAMF5, is a member of the CD2 subgroup of the immunoglobulin receptor superfamily. Members of this CD2 subgroup mediate signal transduction through the interaction of its immunoreceptor tyrosine-based switch motifs (ITSM) in the intracellular region and the SH2 domain of adaptor molecules SAP (SLAM-associated protein) and EAT-2 (EWS-activated transcript 2), and accordingly modulate both adaptive and innate immune responses. CD84 expression has been documented on several hematopoietic cell types, including monocytes, macrophages, dendritic cells, B lymphocytes, and platelets. Activation of cell surface CD84 initiates a signaling cascade involving its intra-cytoplasmic tyrosine residues that results in Bcl-2 upregulation, which in turn enhances cell survival. Either immunoneutralization or blockade of CD84 with a CD84 extracellular domain protein fragment induces cell death in vitro and in vivo.

Product Info

Amount: 10 μg / 50 μg

Content: Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition:

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: KDADPVVMNGILGESVTFLLNIQEPKKIDNIAWTSQSSVAFIKPGVNKAEVTITQGTYKGRIEIIDQKYDLVIRDLR

MEDAGTYKADINEENEETITKIYYLHIYRRLKTPKITQSLISSLNNTCNITLTCSVEKEEKDVTYSWSPFGEKSNVL

QIVHSPMDQKLTYTCTAQNPVSNSSDSVTVQQPCTDTPSFHPRHAVLPVDHHHHHH

Application Note

Endotoxin : Less than 0.1 ng/ \tilde{A} \parallel \hat{A} μ g (1 IEU/ \tilde{A} \parallel \hat{A} μ g) as determined by LAL test.