

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8652: Recombinant Mouse IL-23 Receptor/IL-23R (C-Fc)

Gene ID: 209590 **Uniprot ID**: Q8K4B4

Description

Source: Human Cells.

MW:67.3kD.

Recombinant Mouse Interleukin-23 Receptor is produced by our Mammalian expression system and the target gene encoding Gly24-Asp372 is expressed with a Fc tag at the C-terminus. Interleukin 23 receptor (IL23R), a heterodimer of the IL12 receptor beta1 (IL12R beta1) and IL12R beta2, is a type I cytokine receptor for IL23. IL23R is comprised of two subunits, the IL12R beta1 subunit, which is shared with several cytokines, and a subunit that is unique to IL-23. IL23, after binding to IL23R, activates memory T cells and mediates pro-inflammatory activities in part by the production of IL17 through activation of TH17 lymphocytes. IL23R is expressed on T cells, NK cells, dendritic cells, and macrophages. In fact, polymorphisms of the IL23R gene were reported to be associated with susceptibility to inflammatory diseases and autoimmune diseases such as psoriasis, multiple sclerosis, Graves's ophtalmopathy and inflammatory bowel diseases. The IL23R is known to be critically involved in the carcinogenesis of different malignant tumor.

Product Info

Amount : $10 \mu g / 50 \mu g$

Content: Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition : Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

samples are stable at -20°C for 3 months.

Amino Acid: GITSINCSGDMWVEPGEIFQMGMNVSIYCQEALKHCRPRNLYFYKNGFKEEFDITRINRTTARIWYK

GFSEPHAYMHCTAECPGHFQETLICGKDISSGHPPDAPSNLTCVIYEYSGNMTCTWNTGKPTYIDT KYIVHVKSLETEEEQQYLASSYVKISTDSLQGSRKYLVWVQAVNSLGMENSQQLHVHLDDIVIPSAS IISRAETTNDTVPKTIVYWKSKTMIEKVFCEMRYKTTTNQTWSVKEFDANFTYVQQSEFYLEPDSKY VFQVRCQETGKRNWQPWSSPFVHQTSQETGKRNWQPWSSPFVHQTSQTVSQVTAKSSHEPQK MEMLSATIFRGHPASGNHQDVDDIEGRMDEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKDTL MISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLN GKEYKCKVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEW ESNGQPENNYKTTPPVLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSP

GΚ

Application Note

Endotoxin: Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.