

32-8685: Recombinant Mouse NGAL/Lipocalin-2/LCN2 (C-Fc)

 Gene :
 Lcn2

 Gene ID :
 16819

 Uniprot ID :
 P11672

Description

Source: Human Cells. MW :48kD.

Recombinant Mouse NGAL is produced by our Mammalian expression system and the target gene encoding Gln21-Asn200 is expressed with a Fc tag at the C-terminus. Lipocalin-2, also known as Neutrophil Gelatinase-Associated Lipocalin (NGAL), is a secretory protein of the lipocalin superfamily. Lipocalin-2 contains a signal peptide that enables it to be secreted and form complexes with matrix metalloproteinase-9 (MMP-9) through disulfide bonds. Similar to other lipocalin family members, Lipocalin-2 is involved in diverse cellular processes, including the transport of small hydrophobic molecules, protection of MMP-9 from proteolytic degradation, and cell signaling. Furthermore, Lipocalin-2 can tightly bind to bacterial siderophore through a cell surface receptor, possibly serving as a potent bacteriostatic agent by sequestering iron, regulating innate immunity and protecting kidney epithelial cells from ischemiaÂ-reperfusion injury. This protein is mainly expressed in neutrophils and in lower levels in the kidney, prostate, and epithelia of the respiratory and alimentary tracts.Recent evidence also suggests its role as a biomarker for renal injury and inflammation.

Product Info

Amount :	10 μg / 50 μg
Content :	Supplied as a 0.2 μm filtered solution of 20mM MES, 150mM NaCl, 10% Glycerol, pH 5.5.
Storage condition :	Store at -20°C, stable for 6 months after receipt. Please minimize freeze-thaw cycles.
Amino Acid :	QDSTQNLIPAPSLLTVPLQPDFRSDQFRGRWYVVGLAGNAVQKKTEGSFTMYSTIYELQENNSYNVTSILVRDQ DQGCRYWIRTFVPSSRAGQFTLGNMHRYPQVQSYNVQVATTDYNQFAMVFFRKTSENKQYFKITLYGRTKELS PELKERFTRFAKSLGLKDDNIIFSVPTDQCIDNVDDIEGRMDEPKSCDKTHTCPPCPAPELLGGPSVFLFPPKPKD TLMISRTPEVTCVVVDVSHEDPEVKFNWYVDGVEVHNAKTKPREEQYNSTYRVVSVLTVLHQDWLNGKEYKC KVSNKALPAPIEKTISKAKGQPREPQVYTLPPSREEMTKNQVSLTCLVKGFYPSDIAVEWESNGQPENNYKTTPP VLDSDGSFFLYSKLTVDKSRWQQGNVFSCSVMHEALHNHYTQKSLSLSPGK

Application Note

Endotoxin : Less than 0.1 ng/ \tilde{A} \square $\hat{A}\mu$ g (1 IEU/ \tilde{A} \square $\hat{A}\mu$ g) as determined by LAL test.