

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8693: Recombinant E. coli RNA Pyrophosphohydrolase/rppH

Gene ID: rppH **Gene ID**: 947300 **Uniprot ID**: P0A776

Description

Source: E.coli. MW :20.8kD.

Recombinant E.coli RNA pyrophosphohydrolase is produced by our E.coli expression system and the target gene encoding Met1-Gly176 is expressed. Messenger RNA (mRNA) degradation plays a key role in the control of gene expression in all organisms by limiting the number of times that each mRNA molecule can be used as a template for protein synthesis. RNA pyrophosphohydrolase, also called RppH, is a master regulator of 5'-dependent mRNA decay. It accelerates the degradation of transcripts by removing pyrophosphate from the 5'-end of triphosphorylated RNA, leading to a more labile monophosphorylated state that can stimulate subsequent ribonuclease cleavage. RppH preferentially hydrolyzes diadenosine penta-phosphate with ATP as one of the reaction products, and can be able to hydrolyze diadenosine hexa- and tetra-phosphate. However, this protein has no activity on diadenosine tri-phosphate, ADP-ribose, NADH and UDP-glucose. In the meningitis causing strain E.coli K1, it has been shown to play a role in HBMEC (human brain microvascular endothelial cells) invasion in vitro.

Product Info

Amount: $10 \mu g / 50 \mu g$

Content: Supplied as a 0.2 μm filtered solution of 50mM Tris, 500mM NaCl, 10% glycerol, pH8.0. Storage condition: Store at -20°C, stable for 6 months after receipt. Please minimize freeze-thaw cycles.

Amino Acid: MIDDDGYRPNVGIVICNRQGQVMWARRFGQHSWQFPQGGINPGESAEQAMYRELFEEVGLSRKD

VRILASTRNWLRYKLPKRLVRWDTKPVCIGQKQKWFLLQLVSGDAEINMQTSSTPEFDGWRWVSY

WYPVRQVVSFKRDVYRRVMKEFASVVMSLQENTPKPQNASAYRRKRG

Application Note

Endotoxin: Less than 0.1 ng/Âμg (1 IEU/Âμg) as determined by LAL test.