

32-8705: Recombinant Mouse Interleukin-12 Subunit beta/IL-12 p40/IL-12B (C-6His)

Gene : IL12b
Gene ID : 16160
Uniprot ID : P43432

Description

Source: Human Cells.
MW :37.1kD.

Recombinant Mouse Interleukin-12 subunit beta is produced by our Mammalian expression system and the target gene encoding Met23-Ser335 is expressed with a 6His tag at the C-terminus. Interleukin-12 subunit beta (IL-12B) belongs to the type I cytokine receptor family. It contains 1 fibronectin type-III domain and 1 Ig-like C2-type domain. IL-12B is a cytokine that acts on T and natural killer cells, and has a broad array of biological activities. IL-12 is a disulfide-linked heterodimer composed of the 40 kD cytokine receptor encoded by IL12B and a 35 kD subunit encoded by IL12A. IL12 is expressed by activated macrophages that serve as an essential inducer of Th1 cells development. It has been found to be important for sustaining a sufficient number of memory/effector Th1 cells to mediate long-term protection to an intracellular pathogen.

Product Info

Amount : 10 µg / 50 µg
Content : Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.
Storage condition : Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks. Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted samples are stable at -20°C for 3 months.
Amino Acid : MWELEKDVYVVEVDWTPDAPGETVNLTCDTPEEDDITWTSQDQRHGVIGSGKTLTITVKEFLDAGQYTCHKGG
ETLSHSHLLLHKENGWSTEILKNFNKTKFLKCEAPNYSGRFTCSWLVRNMDLKFNIKSSSSSPDSRAVTCG
MASLSAEKVTLQDRDYKYSVSCQEDVTCPTAEETLPIELALEARQQNKYENYSTSFIRDIKPDPPKLNLMKPL
KNSQVEVSWEYPDSWSTPHSYFSLKFFVRIQRKKEKMKETEEGCNQKGAFLVEKTSTEVQCKGGNVCVQAQD
RYYNSSCSKWACVPCRVRSDHHHHHH

Application Note

Endotoxin : Less than 0.1 ng/µg (1 IEU/µg) as determined by LAL test.