

9853 Pacific Heights Blvd. Suite D. San Diego, CA 92121, USA Tel: 858-263-4982

Email: info@abeomics.com

32-8765: Recombinant Human Serum Albumin/HSA (C-8His)

Gene ID: ALB
Gene ID: 213
Uniprot ID: P02768

Description

Source: P.Pichia. MW:66.5kD.

Recombinant Human Serum Albumin is produced by our Yeast expression system and the target gene encoding Asp25-Leu609 is expressed with a 8His tag at the C-terminus. Human serum albumin (HSA), the most abundant protein in human blood plasma, is essential for maintaining osmotic pressure. It is produced in the liver, consists of a single polypeptide chain, with 585 amino acids with 17 tyrosil residues and one tryptophan located in position 214. HSA is organized in three domains, I, II and III, each consisting of two subdomains, A and B. In the physiological states, HSA occurs in two forms Â- the non-modified HSA with a free thiol group of Cys-34, and the modified (oxidized) form (oHSA), also called human mercaptoalbumin (HMA) and human nonmercaptoalbumin (HNA), respectively. HMA and HNA are in equilibrium, depending on the redox state of Cys-34, and their ratio also varies depending on age and the diseased state. HSA functions primarily as a carrier protein for drugs, steroids, fatty acids, and thyroid hormones, and plays a role in stabilizing extracellular fluid volume.

Product Info

Amount : $10 \mu g / 50 \mu g$

Content: Lyophilized from a 0.2 µm filtered solution of PBS, pH7.4.

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Storage condition:

Lyophilized protein should be stored at -20°C, though stable at room temperature for 3 weeks.

Reconstituted protein solution can be stored at 4-7°C for 2-7 days. Aliquots of reconstituted

carrales are stable at 2000 for 2 months

samples are stable at -20°C for 3 months.

Amino Acid: DAHKSEVAHRFKDLGEENFKALVLIAFAQYLQQCPFEDHVKLVNEVTEFAKTCVADESAENCDKSLHTLFGDKL

CTVATLRETYGEMADCCAKQEPERNECFLQHKDDNPNLPRLVRPEVDVMCTAFHDNEETFLKKYLYEIARRHP YFYAPELLFFAKRYKAAFTECCQAADKAACLLPKLDELRDEGKASSAKQRLKCASLQKFGERAFKAWAVARLSQ RFPKAEFAEVSKLVTDLTKVHTECCHGDLLECADDRADLAKYICENQDSISSKLKECCEKPLLEKSHCIAEVEND EMPADLPSLAADFVESKDVCKNYAEAKDVFLGMFLYEYARRHPDYSVVLLLRLAKTYETTLEKCCAAADPHECY AKVFDEFKPLVEEPQNLIKQNCELFEQLGEYKFQNALLVRYTKKVPQVSTPTLVEVSRNLGKVGSKCCKHPEAKR MPCAEDYLSVVLNQLCVLHEKTPVSDRVTKCCTESLVNRRPCFSALEVDETYVPKEFNAETFTFHADICTLSEKE

RQIKKQTALVELVKHKPKATKEQLKAVMDDFAAFVEKCCKADDKETCFAEEGKKLVAASQAALGL

Application Note

Endotoxin: Less than 0.1 ng/ $\tilde{A} \square \hat{A} \mu g$ (1 IEU/ $\tilde{A} \square \hat{A} \mu g$) as determined by LAL test.